

MULTI-OS CONFIGURATION METHOD

CROSS-REFERENCE TO RELATED APPLICATION

This is a Continuation-in-part of application
Serial No. 09/151,270 filed September 11, 1998, the
contents of which are incorporated herein by reference. *now U.S. Patent Number 6,772,419*

BACKGROUND OF THE INVENTION

The present invention relates to a control
method for computers, and more particularly to a method
of running a plurality of operating systems (OSs) on a
5 single computer.

A general computer runs only a single OS which
manages computer resources such as a processor, a memory
and a secondary storage and performs resource scheduling
in order to realize an efficient operation of the
10 computer.

There are various types of OSs, some excellent
in batch processing, some excellent in time sharing
system (TSS), and some excellent in graphical user
interface (GUI).

15 There are needs of using a plurality of OSs on
a single computer. For example, a mainframe is desired
to operate both OS for executing practical online
transaction processings and OS for research and
development. There is also a requirement for running

09649958.082900

Best Available Copy

MULTI-OS CONFIGURATION METHOD

CROSS-REFERENCE TO RELATED APPLICATION

*now U.S. Patent No.
6,772,419*

This is a Continuation-in-part of application
Serial No. 09/151,270 filed September 11, 1998, the
contents of which are incorporated herein by reference.

BACKGROUND OF THE INVENTION

The present invention relates to a control
method for computers, and more particularly to a method
of running a plurality of operating systems (OSs) on a
5 single computer.

A general computer runs only a single OS which
manages computer resources such as a processor, a memory
and a secondary storage and performs resource scheduling
in order to realize an efficient operation of the
10 computer.

There are various types of OSs, some excellent
in batch processing, some excellent in time sharing
system (TSS), and some excellent in graphical user
interface (GUI).

15 There are needs of using a plurality of OSs on
a single computer. For example, a mainframe is desired
to operate both OS for executing practical online
transaction processings and OS for research and
development. There is also a requirement for running

09649958.082900

Best Available Copy